

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address COMMISSIONER FOR PATENTS PO Box 1430 Alexasdra, Virginia 22313-1450 www.nepto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.	
10/550,171	09/20/2005	Hugo Schweitzer	113999-144196	5246	
25943 7590 05/02/2008 SCHWABE, WILLIAMSON & WYATT, P.C. PACWEST CENTER, SUITE 1900			EXAM	EXAMINER	
			JOHNSON, BLAIR M		
	1211 SW FIFTH AVENUE PORTLAND, OR 97204		ART UNIT	PAPER NUMBER	
			3634		
			MATE PARTY	DEL HEDVI CODE	
			MAIL DATE 05/02/2008	DELIVERY MODE PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Application No. Applicant(s) 10/550,171 SCHWEITZER, HUGO Office Action Summary Examiner Art Unit Blair M. Johnson 3634 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 06 March 2008. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 38-53 is/are pending in the application. 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 38-53 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 06 March 2008 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received. Attachment(s)

1) Notice of References Cited (PTO-892)

Notice of Draftsperson's Patent Drawing Review (PTO-948)

Imformation Disclosure Statement(s) (PTC/S5/08)
 Paper No(s)/Mail Date \_\_\_\_\_\_.

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/550,171

Art Unit: 3634

## Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Claims 38-46,48 and 49 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hving et al in view of Iseli et al.

Hying et al discloses a roller door having a closing element 14 and a safety edge 20,21, of known structure and operation, column 2, line 64- column 3, line 1, of which a photoelectric device is an obvious choice. What is not shown is the reinforcing spring. However, Iseli et al discloses a elastic door edge sensor that has such a reinforcing member 9, Figs. 3 and 4. It would have been obvious to provide one or more such reinforcing elements to the safety edge 21 of Hying so as to stabilize the edge.

Claim 47 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hying et al in view of Iseli et al as applied above, and further in view of Strand.

Strand provides additional sealing lips that would have been an obvious addition to Hying et al so as to further seal the bottom of the door.

Claims 50-53 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hying et al in view of Iseli et al as applied above, and further in view of Clark.

Providing bristle sealing/aligning means in a track for a roller closure is well known, as illustrated by Clark and it would have been obvious to provide such for Hying et al so as to both center the closure and to seal the edges.

Application/Control Number: 10/550,171

Art Unit: 3634

## Response to Arguments

Applicant's arguments have been fully considered but they are not persuasive.

Applicant asserts that Hying does not provide for a leaf spring for stability of the leading edge. This is correct. However, Iseli et al is applied to provide this teaching. Applicant has not addressed Iseli et al.

## Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Blair M. Johnson whose telephone number is (571) 272-6830. The examiner can normally be reached on Mon.-Fri., 6:30-3:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Katherine Mitchell can be reached on (571) 272-7069. The fax phone

Art Unit: 3634

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Blair M. Johnson/ Primary Examiner, Art Unit 3634

BMJ 4/30/08